

- de metabólitos secundários. *Quimica Nova* 2007;30:374-81.
22. Kumar S, Pandey AK. Chemistry and biological activities of flavonoids: An overview. *Sci World J* 2013; Article ID 162750. Available from: <https://www.hindawi.com/journals/tswj/2013/162750/>. [Last accessed on 2017 Oct 31].
 23. Nunes BC, Martins MM, Chang R, Morais SA, Nascimento EA, Oliveira A, *et al.* Antimicrobial activity, cytotoxicity and selectivity index of *Banisteriopsis laevifolia* (A. Juss.) B. Gates leaves. *Indus Crops Produc* 2016;92:277-89.
 24. Freitas LB, Boaventura MA, Santos WL, Stehmann JR, Junior DD, Lopes MT, *et al.* Allelopathic, cytotoxic and antifungic activities of new dihydrophenanthrenes and other constituents of leaves and roots extracts of *Banisteriopsis anisandra* (Malpighiaceae). *Phytochem Lett* 2015;12:9-16.
 25. Fotakis G, Timbrell JA. *In vitro* cytotoxicity assays: Comparison of LDH, neutral red, MTT and protein assay in hepatoma cell lines following exposure to cadmium chloride. *Toxicol Lett* 2006;160:171-7.
 26. Schulz D, Simões CM, Fröhner CR, Gabilan NH, Batista CR. Citotoxicidade do extrato bruto de *Bacillus amyloliquefaciens* frente a hemácias de carneiro e células vero. *Alimentos e Nutrição* 2005;16:145-51.
 27. França FD, Ferreira AF, Lara RC, Rossoni JV Jr., Costa DC, Moraes KC, *et al.* Role of protein kinase A signaling pathway in cyclosporine nephrotoxicity. *Toxicol Mech Methods* 2014;24:369-76.
 28. Xie C, Kang J, Li Z, Schauss AG, Badger TM, Nagarajan S, *et al.* The açai flavonoid velutin is a potent anti-inflammatory agent: Blockade of LPS-mediated TNF- α and IL-6 production through inhibiting NF- κ B activation and MAPK pathway. *J Nutr Biochem* 2012;23:1184-91.
 29. Crouvezier S, Powell B, Keir D, Yaqoob P. The effects of phenolic components of tea on the production of pro- and anti-inflammatory cytokines by human leukocytes *in vitro*. *Cytokine* 2001;13:280-6.
 30. de Oliveira CM, Sakata RK, Issy AM, Gerola LR, Salomão R. Cytokines and pain. *Rev Bras Anesthesiol* 2011;61:255-9, 260-5, 137-42.
 31. Hsu CL, Fang SC, Huang HW, Yen GC. Anti-inflammatory effects of triterpenes and steroid compounds isolated from the stem bark of *Hiptage benghalensis*. *J Funct Foods* 2015;12:420-7.
 32. Almeida Rezende B, Pereira AC, Cortes SF, Lemos VS. Vascular effects of flavonoids. *Curr Med Chem* 2016;23:87-102.
 33. Nemudzivhadi V, Masoko P. *In vitro* Assessment of Cytotoxicity, Antioxidant, and Antiinflammatory Activities of Ricinus communis (Euphorbiaceae) Leaf Extracts. *Evidence based Complementary and Alternative Medicine*; 2014. Available from: <https://www.hindawi.com/journals/ecam/2014/625961/cta/>. [Last accessed on 2017 Oct 31].
 34. Yan ZQ, Yokota T, Zhang W, Hansson GK. Expression of inducible nitric oxide synthase inhibits platelet adhesion and restores blood flow in the injured artery. *Circ Res* 1996;79:38-44.
 35. Cerqueira NF, Yoshida WB. Óxido nítrico Revisão. *Acta Cirúrgica Brasileira* 2002;17:417-23.